

# Notice of Allowability

Application No.

10/723,730

Examiner

Thanh-Ha Dang

Applicant(s)

LARCHEVEQUE ET AL.

Art Unit

2163

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 5/1/07.
2. ☒ The allowed claim(s) is/are 9, 20, 22-23 and 25-28 that are renumbered as 1-8.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date 4/12/04; 11/25/03; 1/5/07
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 05/01/07.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

  
DON WONG  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100

## **DETAILED ACTION**

### ***Response to Amendment***

1. Receipt of Applicant's Amendment filed 05/01/07 is acknowledged.

### ***Allowable Subject Matter***

2. Claims 9, 20, 22-23 and 25-28 are allowed, and are renumbered as 1-8.

The following is an examiner's statement of reasons for allowance: Claims 9, 20, 22-23 and 25-28 are allowable because the prior art made of record does not teach or fairly suggest the combination of elements as recited in independent Claims 9, 20 and 22.

Specifically, the prior art of record does not teach:

- associate each node of the set of nodes that violates the third Xpath expression with an error message taken with the other limitations as recited in Claim 9.
- associate the error message with each of the matching nodes that violate the schema taken with the other limitations as recited in Claim 20.
- execute, with aid from the handler-object name, the executable code referenced by the handler object when one of the found nodes is modified wherein the execution of the executable code indicates to a user whether or not the modification to the found node violates a validation rule taken with the other limitations as recited in Claim 22.

The dependent claims being definite, further limiting and fully enabled by the Specification are also allowed.

These features, together with the other limitations of the independent claims are novel and non-obvious over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


**Contact Information**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thanh-Ha Dang whose telephone number is 571-272-4033. The examiner can normally be reached on Monday-Friday from 9:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on 571-272-1834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thanh-Ha Dang  
Examiner  
Art Unit 2163

  
DON WONG  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100